

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE

**REQUEST FOR CERTIFICATE OF
CORRECTION PURSUANT TO
37 C.F.R. § 1.322**

Docket Number:
10191/1376

Conf. No.:
5483

Application Number
09/554,041

Filing Date
October 12, 2000

Examiner
Kjac K. Olsen

Art Unit
1753

Patent Number
6,818,111

Issue Date
November 16, 2004

Invention Title
**MEASUREMENT SENSOR FOR
DETERMINING AN OXYGEN
CONCENTRATION IN A GAS MIXTURE**

Inventor(s)
Martin LENFERS et al.

**Certificate
JUN 06 2005**

of Correction

Address to:

Commissioner For Patents
P. O. Box 1450
Alexandria, VA 22313-1450

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner of Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on:

Date:

Signature:

5/26/05
Caroline W. [Signature]

Patentee requests that the enclosed Certificate of Correction be issued for the above Patent under authority of 35 U.S.C. §§ 254, 255. The exact column and line number where the errors occur in the patent are listed on the enclosed certificate.

The errors that appear in this patent are Patent Office errors and no fee is believed required. However, if necessary, please charge any fee or credit any overpayment to Deposit Account No. 11-0600.

Dated: **5/26/05**

By:

Richard L. Mayer, Reg. No. 22,490

KENYON & KENYON
One Broadway
New York, New York 10004
(212) 425-7200 (telephone)
(212) 425-5288 (facsimile)



U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE

**REQUEST FOR CERTIFICATE OF
CORRECTION PURSUANT TO
37 C.F.R. § 1.322**

Docket Number:
10191/1376

Conf. No.:
5483

Application Number
09/554,041

Filing Date
October 12, 2000

Examiner
Kjac K. Olsen

Art Unit
1753

Patent Number
6,818,111

Issue Date
November 16, 2004

Invention Title
**MEASUREMENT SENSOR FOR
DETERMINING AN OXYGEN
CONCENTRATION IN A GAS MIXTURE**


Inventor(s)
Martin LENFERS et al.

Address to:

Commissioner For Patents
P. O. Box 1450
Alexandria, VA 22313-1450

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner of Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on:

Date: **5/26/05**

Signature: 

Patentee requests that the enclosed Certificate of Correction be issued for the above Patent under authority of 35 U.S.C. §§ 254, 255. The exact column and line number where the errors occur in the patent are listed on the enclosed certificate.

The errors that appear in this patent are Patent Office errors and no fee is believed required. However, if necessary, please charge any fee or credit any overpayment to Deposit Account No. 11-0600.

Dated: **5/26/05**

By: 

Richard L. Mayer, Reg No. 22,490

KENYON & KENYON
One Broadway
New York, New York 10004
(212) 425-7200 (telephone)
(212) 425-5288 (facsimile)

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,818,111 B1

DATED : November 16, 2004

INVENTOR(S): Martin LENFERS et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, line 3, change "a change-over" to --a changeover--

Column 6, lines 15-16, change "Description of the Exemplary Embodiments" to --Detailed Description--

MAILING ADDRESS OF SENDER

Kenyon & Kenyon
One Broadway
New York, NY 10004

Patent No. 6,818,111 B1

No. of add'l. copies

@ 30 ¢ per page